







FRONT MTB AXLE ADAPTERS NON-BOOST 2026

MAVIC

TYPE	SEASON	LOOKS LIKE	CONCEPT	HUB SPEC	WHEELS	DESIRED CONFIGURATION	ADAPTER CODE	ADAPTER IMAGE
Front MTB High Level	MY18 and earlier		QRM+	15x100 with B41 044 01 	Crossmax Pro Carbon XA Pro Carbon XA Pro Crossmax Pro Deemax Pro MY17	9x100 (QR)	Remove B41 044 01 and plug: B41 043 01	
				20x110 with 129 829 01 	Deemax Pro MY18 E-Deemax Pro Deemax DH	15x100	Remove 129 829 01 and plug: 129 828 01	
				15x100 with 129 828 01 	Deemax Pro Sam Hill Ltd	9x100 (QR)	Remove 129 829 01 and plug: 129 827 01	
						20x110	Remove 129 828 01 and plug: 129 829 01	
						9x100 (QR)	Remove 129 828 01 and plug: 129 827 01	
Front MTB Entry Level	MY17 and earlier		QRM	15x100	Crossride Crossride FTS-X XA Elite Crossmax Elite	9x100 (QR)	Plug on top: 996 941 01 (QR included)	
	From MY18		QRM Auto	15x100 with V23 908 01 	XA XA Light Crossmax Crossmax Light	9x100 (QR)	V23 908 01 + plug on top: 996 941 01	
MTB Wheels	From MY19		QRM Auto	15x100 with V23 725 01 	XA XA Light (OEM) XA Elite XA Elite Carbon XA Pro Carbon (OEM) Crossmax Crossmax Light (OEM) Crossmax Elite Crossmax Elite Carbon Crossmax Pro Carbon Crossmax 27/29 MY22	9x100 (QR)	Plug on top: 996 941 01	
				20x110 with 129 829 01 	Deemax Elite Deemax DH MY20	15x100	Remove 129 829 01 and plug: 129 828 01	
						9x100 (QR)	Remove 129 829 01 and plug: 129 827 01	










FRONT MTB AXLE ADAPTERS BOOST 2026

MAVIC

TYPE	SEASON	LOOKS LIKE	CONCEPT	HUB SPEC	WHEELS	DESIRED CONFIGURATION	ADAPTER CODE	ADAPTER IMAGE
Front MTB High Level	MY18 and earlier		QRM+	15x110 with B41 044 01  	Crossmax Pro Carbon Boost XA Pro Carbon Boost XA Pro Boost Crossmax Pro Boost Deemax Pro Boost E-Deemax Pro Boost Deemax Pro Sam Hill Boost	Torque Caps	Remove B41 044 01 and plug : V26 502 01	
						9x110 (QR)	B41 044 01 + plug on top: B4104301	
Front MTB Entry Level	MY17 and earlier		QRM	15x110 with V23 713 01  	XA Elite Boost Crossmax Elite Boost Crossride Boost	Torque Caps	Remove V23 713 01 and plug : V26 501 01	
	From MY18		QRM Auto	15x110 with V23 908 01  	XA Boost XA Light Boost Crossmax Boost Crossmax Light Boost XA Elite 27+ E-XA Elite 27+ E-XA Elite	Torque Caps	Remove V23 908 01 and plug : V26 503 01	
Front MTB Wheels	From MY19		QRM Auto	15x110 with V23 725 01  	XA Boost XA35 Boost XA Light Boost (OEM) XA Elite Boost XA Elite Carbon Boost	Torque Caps	Remove V23 725 01 and plug: V23 744 01	
						9x110 (QR)	V23 725 01 + Plug on top: 99694101	
				20x110 Boost with V2680401  	Deemax Elite Boost E-Crossmax Boost E-XA30 Elite Boost E-XA35 Elite Boost E-XA35 Boost	15x110	Remove V26 804 01 and plug: 129 828 01	
						Torque Caps 20x31mm	Remove V26 804 01 and plug: V26 504 01	
	From MY21		QRM Auto	15x110 Boost with 12982801  	Deemax MY21	20x110 BOOST	Remove 129 828 01 and plug : V26 804 01	
						Torque Caps 20x31mm	Remove 129 828 01 and plug: V26 504 01	

FRONT MTB AXLE ADAPTERS BOOST 2026





MAVIC

TYPE	SEASON	LOOKS LIKE	CONCEPT	HUB SPEC	WHEELS	DESIRED CONFIGURATION	ADAPTER CODE	ADAPTER IMAGE
			QRM Auto	15x110 with V23 725 01 	Crossmax SL Ultimate MY21/22 Crossmax SLR MY21/22 Crossmax SLS MY21 Crossmax SL MY21 Crossmax XLR MY21/22 Crossmax XLS MY21 Crossmax XL MY21 Crossmax 29/27 MY22 Crossmax S Carbon MY26	Torque Caps	Remove V23 725 01 and plug: V23 744 01	
						9x110 (QR)	Plug on top: 99694101	
	E-BIKE Wheels From MY21		DCL hub QRM Auto	15x110 with V23 725 01 	E-Deemax S30 DCL MY21 E-Deemax S35 DCL MY21 E-Deemax 30 DCL MY22 E-Deemax 35 DCL MY22 E-Crossride 1 MY23	Torque Caps DCL hub	Remove V23 725 01 and plug: V23 744 01	
						9x110 (QR)	Plug on top: 99694101	
			INT 6bolts hub QRM Auto	15x110 Boost with 12982801 	E-Deemax S30 MY21 E-Deemax S35 MY21 E-Deemax 30 MY22 E-Deemax 35 MY22	20x110 BOOST	Remove 129 828 01 and plug: V2680401	
						Torque Caps INT 6bolts hub	Remove 129 828 01 and plug: V26 504 01	
						9x110 (QR)	Plug on top: 99694101	
	From MY24 / MY25/ MY26		QRM Auto	20x110 Boost with V2680401 	Deemax DH MY24 Deemax DH Yellow MY24 Deemax Park 26, 27,5 & 29"	15x110	Remove V26 804 01 and plug: 129 828 01	
						Torque Caps 20x31mm	Remove V26 804 01 and plug: V26 504 01	
			QRM Auto	15x110 with V23 725 01 	Deemax Enduro SL Deemax Park 27,5 & 29"	Torque Caps	Remove V23 725 01 and plug: V23 744 01	
						9x110 (QR)	Plug on top: 99694101	
			QRM Auto	15x110 with V23 725 01 	E-Deemax S30 27,5 & 29" MY24 E-Deemax 30 27,5 & 29" MY24 E-Crosstrail SL / SL Carbon Crosstrail SL / SL Carbon 29" MY25	Torque Caps	Remove V23 725 01 and plug: V23 744 01	
						9x110 (QR)	Plug on top: 99694101	

Regardless of 6B or CL

REAR MTB AXLE ADAPTERS NON-BOOST

MAVIC

TYPE	SEASON	LOOKS LIKE	CONCEPT	HUB SPEC	WHEELS	DESIRED CONFIGURATION	ADAPTER CODE	ADAPTER IMAGE
Rear MTB High-End	MY18 and earlier		QRM+	12x142 with 308 593 01 	XA Pro Carbon MY18 XA Pro Crossmax Pro Carbon MY18 Crossmax Pro Deemax Pro	12x135	308 722 01	
						9x135 (QR)	308 722 01 + 308 731 01	
				12x150 with 308 722 01 	Deemax DH MY17	12x157	308 593 01	
Rear MTB E-Wheels and DH	From MY18		QRM Auto	12x157 with V25 107 01 	Deemax DH MY18	12x150	V25 109 01	Remove V25 107 01 
				12x142 with V25 107 01 	E-Deemax Pro MY18	12x135	V25 109 01	Remove V25 107 01 
						9x135 (QR)	V25 108 01	
Rear MTB Entry Level	MY18 and earlier		QRM	12x142 with 329 650 01 	XA XA Light Crossmax Crossmax Light XA Elite Crossmax Elite	12x135	No adapter just remove 329 650 01	
						9x135 (QR)	Remove 329 650 01 and plug: 308 731 01	
Rear MTB Wheels	From MY19		QRM Auto (on ID360)	12x142 with V25 107 01 	XA MY19 XA Light (OEM) MY19 XA Elite MY19 XA Pro MY19 XA Elite Carbon XA Pro Carbon MY19 (OEM) Crossmax Crossmax Light MY19 (OEM) Crossmax Elite MY19 Crossmax Pro Carbon MY19 Crossmax Elite Carbon Crossmax Pro Carbon MY19 Deemax Pro MY19 Deemax Elite Deemax DH MY20 (12x142 hub) Crossmax 29/27 MY22	12x135	V25 109 01	Remove left V25 107 01 
						9x135 (QR)	V25 108 01	
	From MY24		QRM Auto (on ID360)	12x142 with V25 107 01 	Deemax Park 26"	12x135	V25 109 01	Remove left V25 107 01 
						9x135 (QR)	V25 108 01	





REAR MTB AXLE ADAPTERS BOOST

MAVIC

TYPE	SEASON	LOOKS LIKE	CONCEPT	HUB SPEC	WHEELS	DESIRED CONFIGURATION	ADAPTER CODE	ADAPTER IMAGE
Rear MTB High-End	MY18 and earlier		QRM+	12x148 with 308 593 01 	XA Pro Carbon Boost MY18 XA Pro Boost Crossmax Pro Carbon Bst MY18 Crossmax Pro Boost Deemax Pro Boost Deemax Pro Sam Hill Boost	9x141 (Boost QR)	308 722 01 + 308 731 01	
E-Wheels	From MY18		QRM Auto	12x148 with V25 107 01 	E-Xa Elite Boost MY18 E-Xa Elite 27+ Boost MY18 E-Deemax Pro Boost MY18			
Rear MTB Entry Level	MY18 and earlier		QRM	12x148 with V23 714 01 	Crossride Boost XA Boost MY18 XA Light Boost MY18 XA Elite Boost XA Elite 27+ Boost Crossmax Boost MY18 Crossmax Light Boost MY18 Crossmax Elite Boost			
Rear MTB Wheels	From MY19		QRM Auto (on ID360)	12x148 with V25 107 01 	XA Boost MY19 XA35 Boost E-XA35 Boost E-Crossmax Boost E-XA30 Elite Boost E-XA35 Elite Boost XA Light Boost (OEM) MY19 XA Elite Boost MY19 XA Elite Carbon Boost XA Pro Carbon Boost (OEM) XA35 Pro Carbon Boost Crossmax Boost MY19 Crossmax Light Bst (OEM) Crossmax Elite Boost MY19 Crossmax Elite Carbon Bst Crossmax Pro Carbon Bst MY19 XA Pro Boost MY19 Crossmax Pro Bst MY19 Deemax Pro Boost MY19 E-Deemax Pro Bst MY19 Deemax Elite Boost Deemax DH MY20 Boost Deemax MY21	9x141 (Boost QR)	Remove V25 107 01 and plug: V25 108 01	
				12x157 with V25 107 01 	Deemax DH MY20 (12x157 hub) Deemax MY20 (12x157 hub)	12x150	V25 109 01	Remove left V25 107 01 + 

REAR MTB AXLE ADAPTERS BOOST

MAVIC

TYPE	SEASON	LOOKS LIKE	CONCEPT	HUB SPEC	WHEELS	DESIRED CONFIGURATION	ADAPTER CODE	ADAPTER IMAGE
Rear MTB Wheel	From MY21		QRM Auto	12x148 with V25 107 01 	Crossmax SL Ultimate MY21/22 Crossmax SLR MY21/22 Crossmax SLS MY21 Crossmax SL MY21 Crossmax XLR MY21/22 Crossmax XLS MY21 Crossmax XL MY21 Crossmax 29/27 MY22 Crossmax S/SL Carbon MY25/26	9x141 (Boost QR)	Remove V25 107 01 and plug: V25 108 01	
	From MY21 E-BIKE Wheels		QRM Auto	12x148 with V25 107 01 	E-Deemax S30 MY21 E-Deemax S35 MY21 E-Deemax 30 MY22 E-Deemax 35 MY22	9x141 (Boost QR)	Remove V25 107 01 and plug: V25 108 01	
Rear MTB Wheel	From MY24 / MY25		QRM Auto	12x148 with V25 107 01 	Deemax DH Deemax DH Yellow Deemax Enduro SL Deemax Park 27,5 & 29" Crosstrail SL/SL Carbon 29" MY25	9x141 (Boost QR)	Remove V25 107 01 and plug: V25 108 01	
				12x157 with V25 107 01 	Deemax DH MY24 (12x157) Deemax DH Yellow MY24 (12x157) Deemax Enduro SL (12x157) Deemax Park 27,5 & 29" (12x157)	12x150	V25 109 01	Remove left V25 107 01 
	From MY24 E-BIKE Wheels		QRM Auto	12x148 with V25 107 01 	E-Deemax S30 27,5 & 29" MY24 E-Deemax 30 27,5 & 29" MY24 E-Crosstrail SL / SL Carbon MY25 E-Deemax MY25 E-Deemax S MY25 E-Crossmax XLR 29	9x141 (Boost QR)	Remove V25 107 01 and plug: V25 108 01	